

# Kingrong Enterprise Ltd (Company Profile)

**KRECO®**

Kingrong Enterprise Ltd (trademark is KRECO®) was established in 2008, registered in Hong Kong, based in Shenzhen and ZhongShan, Guangdong, China. We are a company specializing in R&D, manufacturing and marketing consumer electronic products since 10 years ago.

Our mother company, Zhongshan Kingrong Electronics Co.,Ltd.(KRECO), since 2013, mainly doing on-line business for Watches, **the turnover for 2018 is 200M USD.**

KRECO has partner-cooperated and well-controlled with many different categories factories, since we have many good and closed friend resources in the marketing. Our products mainly focus on consumer electronic, include Bluetooth Earphone/Headphone, Bluetooth Speaker, Bluetooth Karaoke Microphone, Party Speaker, Bluetooth Soundbar Speaker, Clock Radio, Dynamo and Solar Radio, DAB Radio, Nostalgia/Retro Turntable Player, Smart Bracelet, Personal MP3 player, Electric toothbrush, E-Bike, Power Adaptor, AC Charger, Car Charger, USB Cable, Power Bank etc. Our products have got UL, ETL, FCC, FDA, Prop 65, CE (RED), GS, ROHS, REACH, SAA, BIS etc certifications to qualify with different markets requirements.

Under our high quality standard with competitive price in the market, we have been established a very good long-term relationships with our worldwide famous customers, including AIWA, IHOME, EMERSON, ION, AKAI, SELECT SOUND, MISIK, ALTEC LANSING etc. Our major markets are USA, Canada, Germany, UK, Italy, Spain, Australia, Japan, Mexico, India etc. KRECO has rich worldwide customer networks and won good reputation in international electronics field, we are keeping supply our customers develop with latest new technology to keep them advance from the international marketing, filled with varied challenges. Furthermore, with the powerful capacity in the field of our R&D dept., we are dedicated to achieve the fashion design and good performance for all kinds of our digital products. As one of leading developer and manufacturer in the consumer electronics products, we have proved ourselves by high quality and timely delivery. We are welcome for both OEM & ODM business from worldwide customers.

In order to realize the scientific management and credible quality, our factory has performed ISO9001/2015 system and passed the international BSCI factory audit, which has been operated in a proper way so that we have a perfect process for our management and production.

KRECO will move forward and blaze new trails in this industry field while continuously offering competitive products and good service to our honored customers forever, we hope our business with customers are always win-win and long-term.





KRECO 2 0 1 9

EARPHONE  
HEADPHONE



**Prices: FOB Shenzhen**  
**MOQ=5000 PCS.**

## Specifications and Accessories:

Size: L=600mm; W=17mm H=40mm

Weight: 11g

Bluetooth Version: 4.1+EDR

Support Protocol: A2DP, AVRCP, HFP, HSP

Impedance:  $16\Omega \pm 15\%$

Sensitivity: 104dB

Frequency Response: 20Hz-20KHz

Rated Power: 2mW

Max Power: 5mW

Battery capacity: 55mAh

Working time: 3-4hrs

Standby time: 150hrs

Charging time: about 2hrs

Accessories include: USB charging cable, English Instruction Manual.

## Packing Info

\* Unit size of package: 112\*160\*20mm

\* G.W. (unit package): 63 g

\* Size of carton: 46\*27.5\*24.5cm \* Packing: 50PCS/ctn

\* N.W. (ctn): 3.1 KGS \* G.W. (ctn): 3.8 KGS

\* Container Packing (20FT): TBC

\* Container Packing (40FT): TBC

• Container Packing (40HQ): TBC



**Prices: FOB Shenzhen USD3.68/PCE;  
MOQ=5000 PCS.**



## Specifications and Accessories:

Size: L=600mm; W=17mm H=40mm

Weight: 14g

Bluetooth Version: 4.1+EDR

Support Protocol: A2DP, AVRCP, HFP, HSP

Impedance:  $16\Omega \pm 15\%$

Sensitivity: 104dB

Frequency Response: 20Hz-20KHz

Rated Power: 2mW

Max Power: 5mW

Battery capacity: 55mAh

Working time: 3-4hrs

Standby time: 150hrs

Charging time: about 2hrs

Accessories include: USB charging cable, English Instruction Manual.

## Packing Info

\* Unit size of package: 112\*160\*20mm

\* G.W. (unit package): 75 g

\* Size of carton: 46\*27.5\*24.5cm \* Packing: 50PCS/ctn

\* N.W. (ctn): 3.8 KGS \* G.W. (ctn): 4.5 KGS

\* Container Packing (20FT): TBC

\* Container Packing (40FT): TBC

• Container Packing (40HQ): TBC



### Specifications and Accessories:

Size: 14\*55\*420mm

Weight: 30g

Bluetooth Version: 4.2+EDR

Bluetooth Solution: Jieli

Support Protocol: A2DP, AVRCP, HFP, HSP

TRANSMISSION RANGE : 10m

**Battery capacity: 90mAh**

**Talking time: 4 hrs**

Charging time: about 2hrs

Accessories include: USB charging cable, English Instruction Manual.

### Packing Info

\* Unit size of package: 112\*160\*20mm

\* G.W. (unit package): 75 g

\* Size of carton: 46\*27.5\*24.5cm \* Packing: 50PCS/ctn

\* N.W. (ctn): 3.8 KGS \* G.W. (ctn): 4.5 KGS

\* Container Packing (20FT): 41900pcs

\* Container Packing (40FT): 90300pcs

\* Container Packing (40HQ): 104850pcs

**Prices: FOB Shenzhen**

**MOQ=5000 PCS.**

## Special Discount Offer



Prices: FOB Shenzhen  
MOQ=10000 PCS.

### Specifications and Accessories:

Unit Size (LxWxH): TBA

Bluetooth Solution: Jieli

Bluetooth Version: V5.0

Support Protocol: A2DP, AVRCP, HFP, HSP

TRANSMISSION RANGE: 10m

**Battery capacity: 130mAh**

**Talking time: 8hrs.**

**True stereo sound.**

Charging time: about 1-2hrs

Accessories include: USB charging cable, English Instruction Manual.



### Packing Info

\* Unit size of package: cm

\* G.W. (unit package): g

\* Size of carton: mm \* Packing: PCS/ctn

\* N.W. (ctn): KGS \* G.W. (ctn): KGS

\* Container Packing (20FT): TBC

\* Container Packing (40FT): TBC

\* Container Packing (40HQ): TBC

## Special Discount Offer



Prices: FOB Shenzhen  
MOQ=10000 PCS.

### Specifications and Accessories:

Unit Size (LxWxH): TBA

Bluetooth Solution: Jieli

Bluetooth Version: V5.0

Support Protocol: A2DP, AVRCP, HFP, HSP

TRANSMISSION RANGE: 10m

**Battery capacity: 130mAh**

**Talking time: 8hrs.**

**True stereo sound.**

Charging time: about 1-2hrs

Accessories include: USB charging cable, English Instruction Manual.



### Packing Info

\* Unit size of package: cm

\* G.W. (unit package): g

\* Size of carton: mm    \* Packing: PCS/ctn

\* N.W. (ctn): KGS    \* G.W. (ctn): KGS

\* Container Packing (20FT): TBC

\* Container Packing (40FT): TBC

\* Container Packing (40HQ): TBC



## Specifications and Accessories:

Size:48\*21\*13mm

Weight: 24g

Bluetooth Version: V5.0

Bluetooth Solution: Bluetrum.

Support Protocol: HSP/HFP/A2DP/AVRCP

Impedance:  $16\Omega \pm 15\%$

Sensitivity:108dB

Frequency Response: 20Hz-20KH

Rated Power:2-3mW

Max Power:5mW

Battery capacity: 90mAh

Working time: 7-8hrs

Charging time: 1-2hrs

**Magnetic earphone head.**

Accessories include: USB charging cable, English Instruction Manual.

## Packing Info

\* Unit size of package: 15.5X13.5X2.6Cm

\* G.W. (unit package): 110 g

\* Size of carton: 595X325X340mm \* Packing: 100PCS/ctn

\* N.W. (ctn): 12 KGS \* G.W. (ctn): 13.3 KGS

\* Container Packing (20FT): TBC

\* Container Packing (40FT): TBC

\* Container Packing (40HQ): TBC

**Prices: FOB Shenzhen**  
**MOQ=5000 PCS.**

**Exclusive market: Mexico.**



## Specifications and Accessories:

Size: 13\*55\*420mm

Weight: 40g

Bluetooth Version: V4.2+EDR

Bluetooth Solution: Bluetrum

Support Protocol: A2DP, AVRCP, HFP, HSP

TRANSMISSION RANGE : 10m

**Battery capacity: 170mAh**

**Talking time: 13hrs**

**Standby time: 720hrs**

Charging time: about 2hrs

**Magnetic earphone head.**

Accessories include: USB charging cable, English Instruction Manual.



## Packing Info

\* Unit size of package: 15.5X13.5X2.6Cm

\* G.W. (unit package): 110 g

\* Size of carton: 595X325X340mm \* Packing: 100PCS/ctn

\* N.W. (ctn): 12 KGS \* G.W. (ctn): 13.3 KGS

\* Container Packing (20FT): TBC

\* Container Packing (40FT): TBC

\* Container Packing (40HQ): TBC

**Prices: FOB Shenzhen;  
MOQ=5000 PCS.**



Prices: FOB Shenzhen  
MOQ=5000 PCS.

## Specifications and Accessories:

Unit Size (LxWxH): TBA

Bluetooth Solution: Jieli

Bluetooth Version: V5.0

Support Protocol: A2DP, AVRCP, HFP, HSP

TRANSMISSION RANGE: 10m

**Battery capacity: 230mAh**

**Talking time: 10hrs**

Charging time: about 2hrs

**Magnetic earphone head.**

Accessories include: USB charging cable, English Instruction Manual.



## Packing Info

\* Unit size of package: 15.5X13.5X2.6Cm

\* G.W. (unit package): 110 g

\* Size of carton: 595X325X340mm \* Packing: 100PCS/ctn

\* N.W. (ctn): 12 KGS \* G.W. (ctn): 13.3 KGS

\* Container Packing (20FT): TBC

\* Container Packing (40FT): TBC

\* Container Packing (40HQ): TBC



Prices: FOB Shenzhen  
MOQ=5000 PCS.

## Specifications and Accessories:

Unit Size (LxWxH): TBA

Bluetooth Solution: Jieli

Bluetooth Version: V5.0

Support Protocol: A2DP, AVRCP, HFP, HSP

TRANSMISSION RANGE: 10m

**Battery capacity: 230mAh**

**Talking time: 10hrs**

Charging time: about 2hrs

**Magnetic earphone head.**

Accessories include: USB charging cable, English Instruction Manual.



## Packing Info

\* Unit size of package: 15.5X13.5X2.6Cm

\* G.W. (unit package): 110 g

\* Size of carton: 595X325X340mm \* Packing: 100PCS/ctn

\* N.W. (ctn): 12 KGS \* G.W. (ctn): 13.3 KGS

\* Container Packing (20FT): TBC

\* Container Packing (40FT): TBC

\* Container Packing (40HQ): TBC



Prices: FOB Shenzhen;  
MOQ=5000 PCS.

## Specifications and Accessories:

Unit Size (LxWxH): TBA

Bluetooth Solution: Jieli

Bluetooth Version: V5.0

Support Protocol: A2DP, AVRCP, HFP, HSP

TRANSMISSION RANGE: 10m

**Battery capacity: 360mAh**

**Talking time: 20hrs**

Charging time: about 2-3hrs

**Magnetic earphone head.**

Accessories include: USB charging cable, English Instruction Manual.



## Packing Info

\* Unit size of package: 15.5X13.5X2.6Cm

\* G.W. (unit package): 110 g

\* Size of carton: 595X325X340mm \* Packing: 100PCS/ctn

\* N.W. (ctn): 12 KGS \* G.W. (ctn): 13.3 KGS

\* Container Packing (20FT): TBC

\* Container Packing (40FT): TBC

\* Container Packing (40HQ): TBC



Prices: FOB Shenzhen;  
MOQ=5000 PCS.

## Specifications and Accessories:

Unit Size (LxWxH): TBA

Bluetooth Solution: Jieli

Bluetooth Version: V5.0

Support Protocol: A2DP, AVRCP, HFP, HSP

TRANSMISSION RANGE: 10m

**Battery capacity: 110mAh**

**Talking time: 6hrs**

Charging time: about 1-2hrs

**Magnetic earphone head.**

Accessories include: USB charging cable, English Instruction Manual.



## Packing Info

\* Unit size of package: cm

\* G.W. (unit package): g

\* Size of carton: mm \* Packing: PCS/ctn

\* N.W. (ctn): KGS \* G.W. (ctn): KGS

\* Container Packing (20FT): TBC

\* Container Packing (40FT): TBC

\* Container Packing (40HQ): TBC

## Private Tooling



Prices: FOB Shenzhen.  
MOQ=5000 PCS.

### Specifications and Accessories:

- \* Unit Size:
- \* Build-in Bluetooth function with range up to 10M.
- \* Bluetooth Solution: JieLi
- \* Bluetooth Version: V4.2
- \* Support Protocol: HFP、HSP、A2DP、AVRCP
- \* Working time: 5-6hrs
- \* Charging time: 2hrs
- \* Standby time: 200hrs
- \* Battery capacity: 3.7V/110mAh.
- \* Sensitivity: 95dB ±3dB
- \* Frequency Response: 2.402GHz-2.480GHz
- \* **With IPX4 waterproof function.**
- \* Accessories include: USB charging cable, English Instruction Manual.
- \* Available colors: Black, etc.



### Packing Info

- \* Unit size of package:
- \* G.W. (unit package): g
- \* Size of carton: \* Packing: PCS/ctn
- \* N.W. (ctn): TBC KGS \* G.W. (ctn): TBC KGS
- \* Container Packing (20FT): TBC
- \* Container Packing (40FT): TBC
- \* Container Packing (40HQ): TBC



## Specifications and Accessories:

Size: 57\*13\*9mm

Weight: 14g

Bluetooth Version: 4.1+EDR

Support Protocol: A2DP, AVRCP, HFP, HSP

TRANSMISSION RANGE : 10m

**Battery capacity: 65mAh**

**Talking time: 4hrs**

Charging time: about 2hrs

Accessories include: USB charging cable, English Instruction Manual.



## Packing Info

\* Unit size of package: 15.5X13.5X2.6Cm

\* G.W. (unit package): 110 g

\* Size of carton: 595X325X340mm \* Packing: 100PCS/ctn

\* N.W. (ctn): 12 KGS \* G.W. (ctn): 13.3 KGS

\* Container Packing (20FT): TBC

\* Container Packing (40FT): TBC

\* Container Packing (40HQ): TBC

**Prices: FOB Shenzhen**

**MOQ=5000 PCS.**

## Private Tooling



Prices: FOB Shenzhen.  
MOQ=3000 PCS.

### Specifications and Accessories:

- \* Build-in Bluetooth function with range up to 10M.
- \* **Bluetooth Solution: CSR8635**
- \* Bluetooth Version: V5.0
- \* Support Protocol: HFP、HSP、A2DP、AVRCP
- \* **Working time: 8-10hrs**
- \* Charging time: 2hrs
- \* Standby time: 200hrs
- \* **Battery capacity: 3.7V/135mAh.**
- \* Sensitivity: 98dB
- \* Frequency Response: 2.402GHz-2.480GHz
- \* Accessories include: USB charging cable, English Instruction Manual.
- \* Available colors: Black, etc.



### Packing Info

- \* Unit size of package: 17\*4\*22cm
- \* G.W. (unit package): 150g
- \* Size of carton: \* Packing: PCS/ctn
- \* N.W. (ctn): TBC KGS      \* G.W. (ctn): TBC KGS
- \* Container Packing (20FT): TBC
- \* Container Packing (40FT): TBC
- \* Container Packing (40HQ): TBC

# High-end Neckband Bluetooth Earphone W/ Long battery life (KBEZ2B)

**KRECO®**



## Specifications and Accessories:

**HIFI Sound Quality**

**With Noise Reduction**

**IPX4 Waterproof**

Weight: 45g

Bluetooth Version: V5.0

**Bluetooth Solution: ISSC.**

Support Protocol: A2DP, AVRCP, HFP, HSP

Transmission Range: 10m

Frequency Response: 2.402-2.480 GHZ

**Battery capacity: 3.7V/330mAh**

**Playing time: 20-24 hrs**

**Standby time: 1440 hrs**

Charging time: about 2.5 hrs

**Magnetic earphone head.**

Accessories include: 3 sizes ear cap, 1\* Storage Bag, USB charging cable, English Instruction Manual.



## Packing Info

\* Unit size of package: 17.9X3.9X20.5 cm

\* G.W. (unit package): 300 g

\* Size of carton: TBA \* Packing: TBA/ctn

\* N.W. (ctn): TBA KGS \* G.W. (ctn): TBA KGS

\* Container Packing (20FT): TBC

\* Container Packing (40FT): TBC

\* Container Packing (40HQ): TBC

**Prices: FOB Shenzhen**  
**MOQ=3000 PCS.**



## Specifications and Accessories:

- \* Unit Size:
- \* Build-in Bluetooth function with range up to 10M.
- \* **Bluetooth Solution: CSR8635**
- \* Bluetooth Version: V4.2
- \* Support Protocol: HFP、HSP、A2DP、AVRCP
- \* Working time: 4-5hrs
- \* Charging time: 1-2hrs
- \* Standby time: 200hrs
- \* Battery capacity: 3.7V/75mAh.
- \* Sensitivity: 98dB
- \* Frequency Response: 2.402GHz-2.480GHz
- \* **With IPX4 waterproof function.**
- \* Accessories include: USB charging cable, English Instruction Manual.
- \* Available colors: Black, etc.

## Packing Info

- \* Unit size of package:
- \* G.W. (unit package): 85g
- \* Size of carton: 41\*36.5\*66.5CM \* Packing: 100PCS/ctn
- \* N.W. (ctn): TBC KGS \* G.W. (ctn): TBC KGS
- \* Container Packing (20FT): TBC
- \* Container Packing (40FT): TBC
- \* Container Packing (40HQ): TBC

**Prices: FOB Shenzhen.**  
**MOQ=3000 PCS.**

## Private Tooling



Prices: FOB Shenzhen.  
MOQ=2000 PCS.

### Specifications and Accessories:

- \* Build-in Bluetooth function with range up to 10M.
- \* **Bluetooth Solution: BK3266**
- \* Bluetooth Version: V4.1
- \* Support Protocol: HFP;HSP;A2DP;AVRCP;SPP;CVC.
- \* **Working time: 8hrs**
- \* Charging time: 2hrs
- \* Standby time: 220hrs
- \* **Battery capacity: 3.7V/110mAh.**
- \* **Battery Level Display in IOS System**
- \* Sensitivity: 98dB
- \* Frequency Response: 2.402GHz-2.480GHz
- \* **Patent design.**
- \* Accessories include: USB charging cable, English Instruction Manual.
- \* Available colors: Black, etc.



### Packing Info

- \* Unit size of package: 120\*104\*46mm
- \* G.W. (unit package): 0.094kg
- \* Size of carton: 53.5\*50\*25cm \* Packing: 100pcs/ctn
- \* N.W. (ctn): 9.4 KGS \* G.W. (ctn): 10.48 KGS
- \* Container Packing (20FT): 38800pcs
- \* Container Packing (40FT): 83700pcs
- \* Container Packing (40HQ): 97100pcs

## Private Tooling



Prices: FOB Shenzhen.  
MOQ=2000 PCS.

### Specifications and Accessories:

- \* Build-in Bluetooth function with range up to 10M.
- \* **Bluetooth Solution: BK3266**
- \* Bluetooth Version: V4.1
- \* Support Protocol: HFP;HSP;A2DP;AVRCP;SPP;CVC.
- \* **Working time: 8hrs**
- \* Charging time: 2hrs
- \* Standby time: 220hrs
- \* **Battery capacity: 3.7V/110mAh.**
- \* **Battery Level Display in IOS System**
- \* Sensitivity: 98dB
- \* Frequency Response: 2.402GHz-2.480GHz
- \* **Patent design.**
- \* Accessories include: USB charging cable, English Instruction Manual.
- \* Available colors: Black, etc.



### Packing Info

- \* Unit size of package: 120\*104\*46mm
- \* G.W. (unit package): 0.096kg
- \* Size of carton: 53.5\*50\*25cm \* Packing: 100pcs/ctn
- \* N.W. (ctn): 9.6 KGS \* G.W. (ctn): 10.68 KGS
- \* Container Packing (20FT): 38800pcs
- \* Container Packing (40FT): 83700pcs
- \* Container Packing (40HQ): 97100pcs

## Private Tooling



**Prices: FOB Shenzhen.**  
**MOQ=3000 PCS.**

### Specifications and Accessories:

- \* Unit Size:
- \* Build-in Bluetooth function with range up to 10M.
- \* **Bluetooth Solution: CSR8635**
- \* Bluetooth Version: V4.1
- \* Support Protocol: HFP;HSP;A2DP;AVRCP;SPP;CVC.
- \* **Working time: 8hrs**
- \* Charging time: 2hrs
- \* Standby time: 220hrs
- \* **Battery capacity: 3.7V/110mAh.**
- \* **Battery Level Display in IOS System**
- \* Sensitivity: 98dB
- \* Frequency Response: 2.402GHz-2.480GHz
- \* **Patent design.**
- \* Accessories include: USB charging cable, English Instruction Manual.
- \* Available colors: Black, etc.



### Packing Info

- \* Unit size of package: 120\*104\*46mm
- \* G.W. (unit package): 0.096kg
- \* Size of carton: 53.5\*50\*25cm \* Packing: 100pcs/ctn
- \* N.W. (ctn): 9.6 KGS \* G.W. (ctn): 10.68 KGS
- \* Container Packing (20FT): 38800pcs
- \* Container Packing (40FT): 83700pcs
- \* Container Packing (40HQ): 97100pcs

## Private Tooling



Prices: FOB Shenzhen.  
MOQ=1000 PCS.

### Specifications and Accessories:

- \* Build-in Bluetooth function with range up to 10M.
- \* **Bluetooth Solution: CSR8635**
- \* Bluetooth Version: V4.1
- \* Support Protocol: HFP;HSP;A2DP;AVRCP;SPP;CVC.
- \* **Working time: 8hrs**
- \* Charging time: 2hrs
- \* Standby time: 220hrs
- \* **Battery capacity: 3.7V/110mAh.**
- \* **Battery Level Display in IOS System**
- \* Sensitivity: 98dB
- \* Frequency Response: 2.402GHz-2.480GHz
- \* **Patent design.**
- \* Accessories include: USB charging cable, English Instruction Manual.
- \* Available colors: Black, Blue, Red, etc.



### Packing Info

- \* Unit size of package: 120\*104\*46mm
- \* G.W. (unit package): 0.097kg
- \* Size of carton: 53.5\*50\*25cm \* Packing: 100pcs/ctn
- \* N.W. (ctn): 9.7 KGS \* G.W. (ctn): 10.78 KGS
- \* Container Packing (20FT): 38800pcs
- \* Container Packing (40FT): 83700pcs
- \* Container Packing (40HQ): 97100pcs

## Private Tooling



Prices: FOB Shenzhen.  
MOQ=3000 PCS.

### Specifications and Accessories:

- \* Unit Size:
- \* Build-in Bluetooth function with range up to 10M.
- \* **Bluetooth Solution: CSR8635**
- \* Bluetooth Version: V4.1
- \* Support Protocol: HFP;HSP;A2DP;AVRCP;SPP;CVC.
- \* **Working time: 8hrs**
- \* Charging time: 2hrs
- \* Standby time: 220hrs
- \* **Battery capacity: 3.7V/110mAh.**
- \* **Battery Level Display in IOS System**
- \* Sensitivity: 98dB
- \* Frequency Response: 2.402GHz-2.480GHz
- \* **Patent design.**
- \* Accessories include: USB charging cable, English Instruction Manual.
- \* Available colors: Black, etc.

### Packing Info

- \* Unit size of package:
- \* G.W. (unit package): g
- \* Size of carton: \* Packing: PCS/ctn
- \* N.W. (ctn): TBC KGS \* G.W. (ctn): TBC KGS
- \* Container Packing (20FT): TBC
- \* Container Packing (40FT): TBC
- \* Container Packing (40HQ): TBC



## Private Tooling



**Prices: FOB Shenzhen.**  
**MOQ=1000 PCS.**

### Specifications and Accessories:

- \* Build-in Bluetooth function with range up to 10M.
- \* **Bluetooth Solution: CSR8635**
- \* Bluetooth Version: V4.1
- \* Support Protocol: HFP;HSP;A2DP;AVRCP;SPP;CVC.
- \* **Working time: 12hrs**
- \* Charging time: 2hrs
- \* Standby time: 310hrs
- \* **Battery capacity: 3.7V/155mAh.**
- \* **Battery Level Display in IOS System**
- \* Sensitivity: 98dB
- \* Frequency Response: 2.402GHz-2.480GHz
- \* **Patent design.**
- \* Accessories include: USB charging cable, English Instruction Manual.
- \* Available colors: Black, etc.



### Packing Info

- \* Unit size of package: 120\*104\*46mm
- \* G.W. (unit package): 0.108kg
- \* Size of carton: 53.5\*50\*25cm \* Packing: 100pcs/ctn
- \* N.W. (ctn): 10.8 KGS \* G.W. (ctn): 11.88 KGS
- \* Container Packing (20FT): 38800pcs
- \* Container Packing (40FT): 83700pcs
- \* Container Packing (40HQ): 97100pcs

## Private Tooling



Prices: FOB Shenzhen.  
MOQ=1000 PCS.

IP67/IP68 with optional upcost offer.

### Specifications and Accessories:

- \* Unit Size:
- \* Build-in Bluetooth function with range up to 10M.
- \* **Bluetooth Solution: CSR8635**
- \* Bluetooth Version: V4.1
- \* Support Protocol: HFP;HSP;A2DP;AVRCP;SPP;CVC.
- \* **Working time: 8hrs**
- \* Charging time: 2hrs
- \* Standby time: 220hrs
- \* **Battery capacity: 3.7V/110mAh.**
- \* **Battery Level Display in IOS System**
- \* Sensitivity: 98dB
- \* Frequency Response: 2.402GHz-2.480GHz
- \* **Patent design.**
- \* Accessories include: USB charging cable, English Instruction Manual.
- \* Available colors: Black, etc.



### Packing Info

- \* Unit size of package: 120\*104\*46mm
- \* G.W. (unit package): 0.097kg
- \* Size of carton: 53.5\*50\*25cm \* Packing: 100pcs/ctn
- \* N.W. (ctn): 9.7 KGS \* G.W. (ctn): 10.78 KGS
- \* Container Packing (20FT): 38800pcs
- \* Container Packing (40FT): 83700pcs
- \* Container Packing (40HQ): 97100pcs

## Private Tooling



Prices: FOB Shenzhen.  
MOQ=1000 PCS.

IP67/IP68 with optional upcost offer.

### Specifications and Accessories:

- \* Build-in Bluetooth function with range up to 10M.
- \* **Bluetooth Solution: CSR8635**
- \* Bluetooth Version: V4.1
- \* Support Protocol: HFP;HSP;A2DP;AVRCP;SPP;CVC.
- \* **Working time: 8hrs**
- \* Charging time: 2hrs
- \* Standby time: 220hrs
- \* **Battery capacity: 3.7V/110mAh.**
- \* **Battery Level Display in IOS System**
- \* Sensitivity: 98dB
- \* Frequency Response: 2.402GHz-2.480GHz
- \* **Patent design.**
- \* Accessories include: USB charging cable, English Instruction Manual.
- \* Available colors: Black, etc.



### Packing Info

- \* Unit size of package: 120\*104\*46mm
- \* G.W. (unit package): 0.099kg
- \* Size of carton: 53.5\*50\*25cm \* Packing: 100pcs/ctn
- \* N.W. (ctn): 9.9 KGS \* G.W. (ctn): 10.98 KGS
- \* Container Packing (20FT): 38800pcs
- \* Container Packing (40FT): 83700pcs
- \* Container Packing (40HQ): 97100pcs

## Private Tooling



Prices: FOB Shenzhen.  
MOQ=1000 PCS.

IP67/IP68 with optional upcost offer.

### Specifications and Accessories:

- \* Build-in Bluetooth function with range up to 10M.
- \* **Bluetooth Solution: CSR8635**
- \* Bluetooth Version: V4.1
- \* Support Protocol: HFP;HSP;A2DP;AVRCP;SPP;CVC.
- \* **Working time: 6-7hrs**
- \* Charging time: 2hrs
- \* Standby time: 190hrs
- \* **Battery capacity: 3.7V/95mAh.**
- \* **Battery Level Display in IOS System**
- \* Sensitivity: 98dB
- \* Frequency Response: 2.402GHz-2.480GHz
- \* **Patent design.**
- \* Accessories include: USB charging cable, English Instruction Manual.
- \* Available colors: Black, etc.



### Packing Info

- \* Unit size of package: 120\*104\*46mm
- \* G.W. (unit package): 0.096kg
- \* Size of carton: 53.5\*50\*25cm \* Packing: 100pcs/ctn
- \* N.W. (ctn): 9.6 KGS \* G.W. (ctn): 10.68 KGS
- \* Container Packing (20FT): 38800pcs
- \* Container Packing (40FT): 83700pcs
- \* Container Packing (40HQ): 97100pcs



**Prices: FOB Shenzhen**  
**KBEA1I (Injection finish)**  
**KBEA1S (Spray finish)**  
**MOQ=5000 PCS.**

## Specifications and Accessories:

Charging case size (LxWxH): TBA

Build-in Bluetooth function with range up to 10M.

Bluetooth Solution: Jieli 6936D.

Bluetooth Version: V5.0

Support Protocol: A2DP, AVCTP, AVDTP, AVRCPHFP, SPP1SMP

Working time: 3hrs

Standby time: 100hrs

Charging time: 1-2hrs

Battery capacity: 40mAh, 3.7V for earphone; 400mAh/3.7V for Charging case..

Frequency Response: 2.402GHz-2.480GHz

Press button control.

Automatic power on/off.

Accessories include: USB charging cable, English Instruction Manual.

Available colors: Black, White, etc.



## Packing Info

\* Unit size of package: cm

\* G.W. (unit package): g

\* Size of carton: mm \* Packing: PCS/ctn

\* N.W. (ctn): KGS \* G.W. (ctn): KGS

\* Container Packing (20FT): TBC

\* Container Packing (40FT): TBC

\* Container Packing (40HQ): TBC